

Tips on How to Put Your Sleep Problems to Bed

- **Avoid carbohydrate before-bed snacks such as grains and sugars.** This will raise blood sugar and inhibit sleep. Later, when blood sugar drops too low (hypoglycemia), you might wake up and not be able to fall back asleep.
- **DO Eat a high-protein snack a few hours before bed.** This can provide the L-tryptophan need to produce melatonin and serotonin. For example, a piece of beef jerky or a handful of nuts.
- **Sleep in complete darkness or as close as possible.** If there is even the tiniest bit of light in the room it can disrupt your circadian rhythm and your pineal gland's production of melatonin and serotonin. There also should be as little light in the bathroom as possible if you get up in the middle of the night. Please whatever you do, keep the light off when you go to the bathroom at night. As soon as you turn on that light you will for that night immediately cease all production of the important sleep aid melatonin.
- **No TV right before bed.** Even better, get the TV out of the bedroom or even out of the house, completely. It is too stimulating to the brain and it will take longer to fall asleep. Also disruptive of pineal gland function for the same reason as above.
- **Wear socks to bed.** Due to the fact that they have the poorest circulation, the feet often feel cold before the rest of the body. A study has shown that this reduces night wakings.
- **Read something spiritual or calming.** This will help to relax. Don't read anything stimulating, such as a mystery or suspense novel, as this may have the opposite effect. In addition, if you are really enjoying a suspenseful book, you might wind up unintentionally reading for hours, instead of going to sleep.
- **Avoid using loud alarm clocks.** It is very stressful on the body to be awoken suddenly. If you are regularly getting enough sleep, they should be unnecessary. I gave up my alarm clock years ago and now use a sun alarm clock. The Sun Alarm™ SA-2002 provides an ideal way to wake up each morning if you can't wake up with the REAL sun. Combining the features of a traditional alarm clock (digital display, AM/FM radio, beeper, snooze button, etc) with a special built-in light that gradually increases in intensity, this amazing clock simulates a natural sunrise. It also includes a sunset feature where the light fades to darkness over time - ideal for anyone who has trouble falling asleep.
- **Journaling.** If you often lay in bed with your mind racing, it might be helpful keep a journal and write down your thoughts before bed.

Dr. David Clark
Chiropractic Neurologist
Northlake Chiropractic & Wellness Center
10233 E. NW Highway #508•Dallas, TX 75238•214-341-3737

- **Get to bed as early as possible.** Our systems, particularly the adrenals, do a majority of their recharging or recovering during the hours of 11PM and 1AM. In addition, your gallbladder dumps toxins during this same period. If you are awake, the toxins back up into the liver which then secondarily back up into your entire system and cause further disruption of your health. Prior to the widespread use of electricity, people would go to bed shortly after sundown, as most animals do, and which nature intended for humans as well.
- **Eat a high-protein snack a few hours before bed.** This can provide the L-tryptophan need to produce melatonin and serotonin. For example, a piece of beef jerky or a handful of nuts.
- **Reduce or avoid as many drugs as possible.** Many medications, both prescription and over-the-counter may have effects on sleep. In most cases, the condition, which caused the drugs to be taken in the first place, can be addressed by following the guidelines elsewhere on this web site.
- **Avoid caffeine.** A recent study showed that in some people, caffeine is not metabolized efficiently and therefore they can feel the effects long after consuming it. So an afternoon cup of coffee (or even tea) will keep some people from falling asleep. Also, some medications, particularly diet pills contain caffeine.
- **Alarm clocks and other electrical devices.** If these devices must be used, keep them as far away from the bed as possible, preferably at least 3 feet.
- **Avoid alcohol.** Although alcohol will make people drowsy, the effect is short lived and people will often wake up several hours later, unable to fall back asleep. Alcohol will also keep you from falling into the deeper stages of sleep, where the body does most of its healing.
- **Lose weight.** Being overweight can increase the risk of sleep apnea, which will prevent a restful night's sleep.
- **Avoid foods that you may be sensitive to.** This is particularly true for dairy and wheat products, as they may have effect on sleep, such as causing apnea, excess congestion, gastrointestinal upset, and gas, among others.
****If you don't which foods may be a problem, call us and we'll help you find out.****
- **Don't drink any fluids within 2 hours of going to bed.** This will reduce the likelihood of needing to get up and go to the bathroom or at least minimize the frequency.
- **Take a hot bath, shower or sauna before bed.** When body temperature is raised in the late evening, it will fall at bedtime, facilitating sleep,
- **Remove the clock from view.** It will only add to your worry when constantly staring at it... 2 AM...3 AM... 4:30 AM...

Dr. David Clark
 Chiropractic Neurologist
 Northlake Chiropractic & Wellness Center
 10233 E. NW Highway #508•Dallas, TX 75238•214-341-3737

- **Keep Your Bed For Sleeping.** If you are used to watching TV or doing work in bed, you may find it harder to relax and to think of the bed as a place to sleep.

- **Have your adrenals checked by a good natural medicine clinician.** Scientists have found that [Insomnia may be caused by adrenal stress](#) (Journal of Clinical Endocrinology & Metabolism, August 2001; 86:3787-3794)

****A sophisticated saliva test can assess the health of your adrenal glands. Call us for more information.****

- **If you are menopausal or perimenopausal, get checked out by a good natural medicine physician (like us!).** The hormonal changes at this time may cause problems if not properly addressed.

****Female hormone problems are INCREDIBLY mis-managed, especially menopause. You have options!****

- **Don't Change Your Bedtime.** You should go to bed, and wake up, at the same times each day, even on the weekends. This will help your body to get into a sleep rhythm and make it easier to fall asleep and get up in the morning.

- **Make certain you are exercising regularly.** [Exercising](#) for at least 30 minutes everyday can help you fall asleep. However, don't exercise too close to bedtime or it may keep you awake. Studies show exercising in the morning is the best if you can do it.

- **Find out if the Right Hemisphere of your brain is under-firing.** The right side is responsible for “withdrawing” and, if not working properly, can contribute to insomnia and sleep problems. A Chiropractic Neurological examination can determine if you have this problem.

Dr. David Clark
Chiropractic Neurologist
Northlake Chiropractic & Wellness Center
10233 E. NW Highway #508•Dallas, TX 75238•214-341-3737